

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 23-Jan-2020 Revision Date: 11-Feb-2020 Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name ROSCO OFF BROADWAY ULTRAMARINE BLUE

Product Code RF5359
Alternate Product Code XY5110

Product Class Water thinned paint

ColorBlueRecommended usePaint

Restrictions on use No information available

Roscolab Limited Blanchard Works Kangley Bridge Road

Sydenham

London SE26 5AQ

Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT)

Email: info.emea@rosco.com

Rosco Laboratories Inc.

52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900

www.rosco.com

Emergency Telephone

CHEMTREC: +1-703-741-5970

CHEMTREC (United Kingdom Local Number): +44-870-8200418

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Specific target organ toxicity (repeated exposure) Category 2 - (H373)

2.2. Label elements

Product Identifier

Revision Date: 11-Feb-2020



Contains Cristobalite **Signal word** Warning

Hazard statements

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - EU (§28, 1272/2008)

- P101 If medical advice is needed, have product container or label at hand
- P102 Keep out of reach of children
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P314 Get medical advice/attention if you feel unwell
- P501 Dispose of contents/container to industrial incineration plant

2.3. Other hazards

General Hazards No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Cristobalite	238-455-4	14464-46-1	>=1 - <5	STOT RE 1 (H372)	Not available
Diatomaceous silica, flux-calcined	272-489-0	68855-54-9	>=1 - <5	STOT RE 2 (H373)	Not available
Propylene glycol	200-338-0	57-55-6	>=1 - <5	Not available	01-2119456809-23-02 24
Titanium dioxide	236-675-5	13463-67-7	>=0.5 - <1	Not available	01-2119489379-17-01 68
Aluminum oxide	215-691-6	1344-28-1	>=0.1 - <0.3	Not available	Not available
Distillates, petroleum, solvent-refined heavy paraffinic	265-090-8	64741-88-4	>=0.1 - <0.3	Repr. 2 (H361) STOT RE 1 (H372) Asp. Tox 1 (H304)	Not available
Iron oxide	215-168-2	1309-37-1	>=0.1 - <0.3	Not available	Not available

Full text of H- and EUH-phrases: see section 16

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No.	SVHC candidates	
Polyethylene glycol octylphenol ether	9002-93-1	Listed	

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures

General Advice No hazards which require special first aid measures.

Eye ContactRinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

Revision Date: 11-Feb-2020

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects None known.

4.3. Indication of any immediate medical attention and special treatment

<u>needed</u>

Notes To Physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity to static discharge No

Sensitivity to mechanical impact No

5.3. Advice for firefighters

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective

suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2. Environmental precautions

Environmental precautions Prevent spreading of vapors through sewers, ventilation

systems and confined areas.

6.3. Methods and material for containment and cleaning up

Methods for Containment Absorb with inert material and place in suitable container

for disposal.

Methods for Cleaning Up Clean contaminated surface thoroughly.

6.4. Reference to other sections

Other information See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 11-Feb-2020

ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3. Specific end use(s)

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical name	European Union	Belgium	Bulgaria	Cyprus	France	Ireland
Cristobalite	TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.07 mg/m ³	-	TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³
14464-46-1		_			_	STEL: 0.3 mg/m ³
Diatomaceous silica,	_	-	-	-	-	TWA: 1.2 mg/m ³

flux-calcined 68855-54-9										STEL: 3.6 mg/m ³
Propylene glycol 57-55-6	-	-		-			-		-	TWA: 10 mg/m³ TWA: 150 ppm TWA: 470 mg/m³ STEL: 1410 mg/m³ STEL: 30 mg/m³ STEL: 450 ppm
Chemical name	Germany	Greece		Hunga	ary	_	eland		Italy	Latvia
Cristobalite 14464-46-1	-	-		TWA: 0.15	mg/m³		g/m³ TWA g/m³ TWA		-	-
Diatomaceous silica, flux-calcined 68855-54-9	TWA: 0.3 mg/m	-		-		1.5 mg	g/m³ TWA		-	-
Propylene glycol 57-55-6	-	-		-			-		-	TWA: 7 mg/m ³
Chemical name	Lithuania	Netherlands		Poland	Rom	ania	Spain	ı	Sweden	United Kingdom
Cristobalite 14464-46-1	TWA: 0.05 mg/m ³	TWA: 0.075 mg/m ³	TWA	: 0.1 mg/m ³		: 0.05 /m³	TWA: 0. mg/m ²		TLV: 0.05 mg/	m ³ TWA: 0.1 mg/m ³
Diatomaceous silica, flux-calcined 68855-54-9	-	-		A: 2 mg/m³ A: 1 mg/m³		-	-		-	-
Propylene glycol 57-55-6	TWA: 7 mg/m³	-	TWA	: 100 mg/m ³		-	-		-	TWA: 150 ppm TWA: 474 mg/m³ TWA: 10 mg/m³ STEL: 450 ppm STEL: 1422 mg/m³ STEL: 30 mg/m³

8.2. Exposure controls

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

Eye Protection Safety glasses with side-shields.

Skin Protection Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

Revision Date: 11-Feb-2020

thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance liquid

Odor little or no odor

Odor Threshold No information available

RF5359 - ROSCO OFF BROADWAY ULTRAMARINE

BLUE

Revision Date: 11-Feb-2020

Property Values Remarks/ Method 1342 - 1390 None known Density (g/L) 1.34 - 1.39 **Relative Density** pН No information available None known No information available Viscosity (cps) None known Solubility(ies) No information available None known Water solubility No information available None known No information available **Evaporation Rate** None known Vapor pressure No information available None known Vapor density No information available None known Wt. % Solids 50 - 60 None known Vol. % Solids 35 - 45 None known Wt. % Volatiles 40 - 50 None known Vol. % Volatiles 55 - 65 None known 100 None known **Boiling Point (°C)** Freezing Point (°C) None known Melting Point (°C) No information available None known **Pour Point** No information available None known Flash Point (°C) Not applicable None known No information available Flammability (solid, gas) None known **Upper flammability limit:** No information available None known Lower flammability limit: No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available None known **Partition coefficient** No information available None known **Explosive properties** No information available None known **Oxidizing Properties** No information available None known

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Not Applicable.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

Incompatible MaterialsNo materials to be especially mentioned.

10.6. Hazardous decomposition products

Hazardous Decomposition ProductsNone under normal conditions of use.

Revision Date: 11-Feb-2020

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation There is no data available for this product.

Eye contactThere is no data available for this product.

Skin contact There is no data available for this product.

Ingestion There is no data available for this product.

Acute Toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Aluminum oxide 1344-28-1	> 5000 mg/kg(Rat)		
Distillates, petroleum, solvent-refined heavy paraffinic 64741-88-4	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5530 mg/m³(Rat)4 h
Iron oxide 1309-37-1	> 10000 mg/kg (Rat)		

Skin corrosion/irritation No information available.

Eye damage/irritation No information available.

Sensitization No sensitizing effects known.

Mutagenic Effects No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Cristobalite		1 - Human Carcinogen
14464-46-1		
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		

• Crystalline Silica has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or dust from sanding the dried paint.

[•] Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

RF5359 - ROSCO OFF BROADWAY ULTRAMARINE

BLUE

Legend

IARC - International Agency for Research on Cancer

Reproductive Effects No information available.

Developmental Effects No information available.

STOT - single exposureNo information available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated

exposure if inhaled.

Revision Date: 11-Feb-2020

Neurological EffectsNo information available.

Target organ effects No information available.

Symptoms No information available.

Aspiration Hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Propylene glycol	EC50: =19000mg/L (96h,	LC50 41 - 47 mL/L Oncorhynchus	EC50 > 1000 mg/L (48 h)
57-55-6	Pseudokirchneriella subcapitata)	mykiss (96 h)	EC50 > 10000 mg/L (24 h)
		LC50 = 710 mg/L Pimephales	
		promelas (96 h)	
		LC50 = 51600 mg/L Oncorhynchus	
		mykiss (96 h)	
		LC50 = 51400 mg/L Pimephales	
		promelas (96 h)	
Distillates, petroleum,		LC50: >5000mg/L (96h,	EC50: >1000mg/L (48h, Daphnia
solvent-refined heavy paraffinic		Oncorhynchus mykiss)	magna)
64741-88-4			
Iron oxide		LC50: =100000mg/L (96h, Danio	
1309-37-1		rerio)	

12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

12.4. Mobility in soil

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available.

Revision Date: 11-Feb-2020

Chemical name	PBT and vPvB assessment
Diatomaceous silica, flux-calcined 68855-54-9	PBT assessment does not apply
Propylene glycol 57-55-6	The substance is not PBT / vPvB PBT assessment does not apply
Titanium dioxide 13463-67-7	The substance is not PBT / vPvB PBT assessment does not apply
Aluminum oxide 1344-28-1	The substance is not PBT / vPvB PBT assessment does not apply
Distillates, petroleum, solvent-refined heavy paraffinic 64741-88-4	The substance is not PBT / vPvB
Iron oxide 1309-37-1	The substance is not PBT / vPvB PBT assessment does not apply

12.6. Other adverse effects

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG Not regulated

RID Not regulated

ADR_ Not regulated

ADN Not regulated

<u>IATA</u> Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Cristobalite 14464-46-1	RG 25
Propylene glycol 57-55-6	RG 84
Iron oxide 1309-37-1	RG 44,RG 94

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS No - Not all of the components are listed.

DSL: CanadaNo - Not all of the components are listed.

One or more component is listed on NDSL.

Revision Date: 11-Feb-2020

EINECS: European UnionNo - Not all of the components are listed.
No - Not all of the components are listed.

IECSC

No - Not all of the components are listed.

No - Not all of the components are listed.

KECL (Annex 1)No - Not all of the components are listed.
PICCS
No - Not all of the components are listed.

TSCA: United States Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H304 - May be fatal if swallowed and enters airways

H361 - Suspected of damaging fertility or the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for data

Data from internal and external sources

Prepared By Product Stewardship Department

Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900 Revision Date: 11-Feb-2020

Issuing Date 23-Jan-2020

Revision Date: 11-Feb-2020

Revision Summary Change to Format

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet