

MSDS Reviewed Date: April 1, 2015

Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT, United States 06902 Telephone: (203) 708 8900

> MSDS No.:00021.0001 Page 1 of 7

MATERIAL SAFETY DATA SHEET

SEC	ГΙ	DN 1 - PRODUCT AND COMPANY IDENTIFICATION		
Product Name	:	COATED ALUMINUM FOIL		
Product Use	:	ecorative or protective wrapping materials		
Chemical Family	:	Metal		
Supplier's name and address:				
Rosco Laboratories Inc.				
52 Harbor View Avenue Stamford, CT, United States 06902				
24 Hr. Emergency Tel #	:	(800) 424-9300		
HMIS Rating	:	*- Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe		
		Health: 1 Flammability: 0 Reactivity: 0		
WHMIS Classes:				



SI	ECTION 2 - COMPOS	SITION/INFORM	AATION ON I	NGREDI	ENTS	
			ACGIH TLV		OSHA PEL	
Ingredients	CAS #	<u>% (weight)</u>	<u>TWA</u>	<u>STEL</u>	PEL	<u>STEL</u>
Copper	7440-50-8	0.10 - 4.70	0.2 mg/m ³ (fume); 1 mg/m ³ (dust and mist, as Cu)	N/Av	0.1 mg/m³ (fume); 1 mg/m³ (dust and mist)	N/Av
Silicon	7440-21-3	1.00 - 13.50	N/Av	N/Av	15 mg/m ³ (total dust); 5 mg/m ³ (respirable fraction)	N/Av
Magnesium	7439-95-4	1.00 - 5.00	N/Av	N/Av	N/Av	N/Av
Iron	7439-89-6	0.10 - 1.30	N/Av	N/Av	N/Av	N/Av
Aluminum	7429-90-5	81.00 - 99.00	1 mg/m³ (respirable fraction)	N/Av	15 mg/m ³ (total dust); 5 mg/m ³ (respirable fraction)	N/Av
Nickel	7440-02-0	1.00 - 5.00	1.5 mg/m ³ (inhalable fraction)	N/Av	1 mg/m³	N/Av
Manganese	7439-96-5	1.00 - 2.00	0.2 mg/m ³	N/Av	N/Av	N/Av
Coating	N/Av	0.00 - 3.00	N/Av	N/Av	N/Av	N/Av

Concentrations may not fall within WHMIS ranges, but reflect actual composition of product.

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW



MSDS Reviewed Date: April 1, 2015

Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT, United States 06902 Telephone: (203) 708 8900

MSDS No.:00021.0001

Page 2 of 7

fumes can cause eye,	olid. No odor.In solid form, this material is not hazardous. Dust and fumes are hazardous materials. Exposure to dust or skin and respiratory tract irritation. Contains a material which may cause nervous system effects. Contains material that nay cause an allergic skin and/or respiratory reaction. Contains material which may cause cancer.			
	POTENTIAL HEALTH EFFECTS			
Target organs	: Eyes, skin, central nervous system			
Routes of exposure	: Inhalation: YES Skin Absorption: NO Skin & Eyes: YES Ingestion: YES			
Potential acute healt	h effects :			
Eyes:	Contact with dust can cause irritation, reddening or conjunctivitis.			
Skin:	Material is not expected to be absorbed through the skin. Contact with dust may cause mild irritation, consisting of redness and/or swelling.			
Inhalation:	Harmful if inhaled. Inhalation of high concentrations of powder, dust or fume may cause respiratory and nasal irritation, coughing and difficulty breathing. Inhalation of high concentrations of metallic copper dusts or fumes may cause nasal irritation and/or nausea, vomiting and stomach pain.			
Ingestion:	Not an expected route of entry. Ingestion of large amounts of dust may cause nausea, vomiting, constipation, cramps and/or stomach pain.			
Medical conditions a	of itching, redness, swelling and rash or urticaria (hives) in sensitized individuals. Chronic exposure to very high concentrations of manganese dust has caused nervous system effects, including muscle weakness, tremors, and behavioral changes. Epidemiological studies in humans have shown an association between lung and nasal cancers and prolonged occupational exposures to high concentrations of nickel. Aluminum has been suspected of causing neurological damage.			
Additional health haz	 Exposure to dust or fume may aggravate an existing dermatitis or neurological condition; asthma; emphysema; or other respiratory diseases. If product is heated, inhalation of fumes released from product may cause 'polymer fume 			
	fever', a flu-like illness.			
Potential environmer				
	: None reported by the manufacturer.			
	SECTION 4 - FIRST AID MEASURES			
Inhalation	: Inhalation problems are not anticipated. Remove exposed person to fresh air if adverse effects, such as breathing difficulty arise. If irritation persists, seek prompt medical attention			
Skin contact	 If exposed to dust or fumes, wash skin with plenty of water. Remove and wash contaminated clothing before re-use. If skin rash or irritation develops and persists, or reoccurs, get medical attention. 			
Eye contact	: If in eyes, rinse with water for 15 minutes. Lift upper and lower lids during flushing to ensur complete removal of chemical. If irritation persists, seek prompt medical attention.			
Ingestion	: Not a likely route of exposure for the finished metal alloy. If large amounts swallowed, get medical attention. If large amounts of dust are ingested, immediately drink water to dilute. Consult a physical if symptoms develop.			
Notes For Physician	: There is no specific antidote or treatment for the ingredients in this product. Treat symptomatically.			
	SECTION 5 - FIRE FIGHTING MEASURES			

SECTION 5 - FIRE FIGHTING MEASURES

Fire hazards/conditions of fl	ability	
	Not flammable under normal conditions of handling.	
Flammability classification (1 29 CFR 1910.1200)	
	Not flammable.	
Flash point	Not applicable.	
Flash point Method	Not applicable. Auto-ignition temperature : Not applicable.	



MSDS Reviewed Date: April 1, 2015

Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT, United States 06902 Telephone: (203) 708 8900

> MSDS No.:00021.0001 Page 3 of 7

•			
Lower flammable limit (% by vol.)	Upper flammable limit (% by vol.)	
:	Not applicable.	: Not applicable.	
Suitable extinguishing media			
:	smother with dry sand, dry o	e and/or explosive atmosphere. For localized powder fires, dolomite, sodium chloride (salt) or soda ash. Use extinguishing ate to local circumstances and the surrounding environment.	g
Explosion data: Sensitivity to me	chanical impact / static dis	charge	
:	Not expected to be sensitive	e to mechanical impact or static discharge.	
Special fire-fighting procedures/	equipment		
:	None reported by the manu	facturer.	
Hazardous combustion products	-		
:	Oxides of carbon.		
Oxidizing properties :	None known or reported by	the manufacturer.	

SECTION 6 - ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear suitable protective clothing (see Section 8).		
Environmental precautions	: No special environmental precautions required.		
Spill response/cleanup	: For all transportation accidents, call CHEMTREC at 1-800-424-9300. For spilled solid, pick up foil for reuse or recycling. In dust form, this product may be an explosion hazard. Remove all sources of ignition. Dust or fumes may be suppressed by the use of a local exhaust system. Recover free liquid or cover with inert absorbent material and place into appropriate container for disposal.		
Containment	: No special containment required.		

SECTION 7 - HANDLING AND STORAGE				
Safe Handling procedures	:	Do not ingest. Avoid dust cloud formation. Do not shake clothing, rags or other items to remove dust. Dust should be removed by washing or HEPA vacuuming.		
Storage requirements	:	Store in a cool, dry, well-ventilated area. Do not store near any incompatible materials (see Section 10).		
Incompatible materials Special packaging materials	:	Strong acids, alkalis, and oxidizers.		
	:	No special packaging required.		

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION				
Ventilation and engineering m	easures			
	: Local exhaust ventilation is recommended if significant dusting occurs or fumes are generated. Otherwise, use general exhaust ventilation.			
Respiratory protection	: None required under normal conditions. If dusting occurs or fumes are generated above the PEL/TLV, use a NIOSH-approved half-face or full-face respirator equipped with high efficiency particulate (HEPA) filter cartridges.			
Skin protection	: None required under normal conditions. If handler is sensitive to metals such as nickel, impermeable gloves such as rubber, nitrile or neoprene are recommended.			
Eye / face protection	 None required under normal conditions. In dusty conditions, wear safety glasses or goggles. 			
Other protective equipment				
	: None required when used as intended.			
General hygiene consideration				
	: Do not eat, drink or smoke when using the product in dust form.			

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES				
Physical state	: Solid	Appearance	: Silvery gray, metallic solid.	
Odor	: Odorless.	Odor threshold	: Not applicable.	
рН	: Not applicable.			



Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT, United States 06902 Telephone: (203) 708 8900

> MSDS No.:00021.0001 Page 4 of 7

MSDS Reviewed Date: April	1,2015		l
Boiling point	: Not applicable.	Specific gravity	: Greater than 3
Melting/Freezing point	: 482-642 °C (900-1200	Coefficient of water/oil dis	tribution
	°F)		: Not applicable.
Vapor pressure (mmHg @ 2	0° C / 68° F)	Solubility in water	:
	: Not applicable.		
Vapor density (Air = 1)	: Not applicable.	Evaporation rate (n-Butyl a	acetate = 1)
			: Not applicable.
Volatile organic Compounds	s (VOC's) (lbs/gal;g/l)	Volatiles (% by weight)	: Not applicable.
	: Not applicable.		
Viscosity	: Not applicable.		
Special Remarks On Fire Ha	zards		

: Not flammable under normal conditions of use.

SECTION 10 - REACTIVITY AND STABILITY DATA			
Stability and reactivity	Stable under normal conditions.		
Hazardous polymerization	Will not occur.		
Conditions to avoid	Avoid contact with carbon monoxide, particularly at temperatures between 50 °C and °C, to prevent formation of nickel carbonyl, a toxic and carcinogenic chemical.	d 300	
Materials To Avoid And Inco	bility		
	For finely divided aluminum: Strong oxidizers cause violent reaction with heat gener. Acids and alkalis react to generate hydrogen gas. Water and aluminum dust mixture hazardous in confined spaces or containers, due to generation of hydrogen gas. Halogenated hydrocarbons such as chloroform can react violently with finely divided aluminum.	e may be	
Hazardous decomposition p	ts		
	When heated to decomposition, may produce oxides of metals such as aluminum, c	opper	

When heated to decomposition, may produce oxides of metals such as aluminum, copper and iron. Inhalation of fumes, may result in metal fume fever, a flu-like illness.

	LC50(4hr)	LD ₅₀		
Ingredients	<u>inh, rat</u>	oral	dermal	
Copper	N/Av	N/Av	N/Av	
Silicon	N/Av	3160 mg/kg	N/Av	
Magnesium	N/Av	230 mg/kg	N/Av	
Iron	N/Av	984 mg/kg	N/Av	
Aluminum	N/Av	N/Av	N/Av	
Nickel	N/Av	>9000 mg/kg	N/Av	
Manganese	N/Av	9 g/kg	N/Av	
Coating	N/Av	N/Av	N/Av	
icological data	: Low order of toxicity for normal hazardous.	industrial handling. The finishe	d alloy metal is not	
cinogenic status	: In laboratory animal studies, ch	ronic exposure to high concent	trations of nickel has caus	

SECTION 11 - TOXICOLOGICAL INFORMATION



MSDS Reviewed Date: April 1, 2015

Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT, United States 06902 Telephone: (203) 708 8900

MSDS No.:00021.0001

Page 5 of 7

Reproductive effects	: This product is not known or reported to cause reproductive or developmental effects. Exposure of male rats to high concentrations of nickel caused testicular degeneration. However, symptoms of systemic toxicity, including severe weight loss, were also observed that the same concentrations, indicating that the testicular effects were secondary to the general toxicity.
Teratogenicity	: Not expected to be a teratogen.
Mutagenicity	: Not expected to be mutagenic in humans.
Reproductive Effects	: This product is not known or reported to cause reproductive or developmental effects. Exposure of male rats to high concentrations of nickel caused testicular degeneration. However, symptoms of systemic toxicity, including severe weight loss, were also observed that the same concentrations, indicating that the testicular effects were secondary to the general toxicity.
Irritancy	: Direct contact causes severe irritation and possibly eye injury Possible inhalation irritant. Irritating to skin.
Sensitization to material	: Exposure to nickel is known to cause skin and respiratory sensitization.
Synergistic materials	: None reported by the manufacturer.
Neurological effects: This produ	ict is not known or reported to cause neurological effects. Chronic exposure to very high

Neurological effects: This product is not known or reported to cause neurological effects. Chronic exposure to very high concentrations for manganese dust has caused nervous system effects, including muscle weakness, tremors and behavioral changes in humans. Chronic exposure to aluminum has been suspected as a possible cause of neurological damage.

SECTION 12 - ECOLOGICAL INFORMATION

Environmental effects	: None expected in current form. However, it is recommended not to allow the material to enter the environment.
Important environmental cha	aracteristics
	: None known or reported by the manufacturer.
Ecotoxicological	: Copper: The toxicity of copper to aquatic organisms varies significantly, not only with the species, but also with the physical and chemical characteristics of the water, such as its temperature, hardness, turbidity and carbon dioxide content. Copper concentrations varying from 0.1 to 1.0 mg/L have been found by various investigators to be not toxic for most fish. However, concentrations of 0.016 to 3.0 mg/L have been reported as toxic, particularly in soft water, to many kinds of fish, crustaceans, mollusks, insects and plankton. Nickel:LC50 (96 hr) rainbow trout: 31.7 mg/L; LC50 (96 hr) fathead minnow: 3.1 mg/L; EC50 (72 hr) freshwater algae (4 species): 0.1 mg/L; LC50/96h/daphnia = 0.51 mg/L.

	SECTION 13 - DISPOSAL CONSIDERATIONS
Handling for Disposal	: See Section 7 (Handling and Storage) section for further details.
Methods of Disposal	: Care must be taken to prevent environmental contamination from the use of this material. The user of this material has the responsibility to dispose of unused material, residues and containers, in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and non-hazardous wastes. This product may be a candidate for metal reclamation.

SECTION 14 - TRANSPORTATION INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	None	Not regulated.	Not regulated	-None-	\oslash
TDG Additional information	None.				
49CFR/DOT	None	Not regulated.	Not regulated	-None-	\bigotimes



Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT, United States 06902 Telephone: (203) 708 8900

COATED ALUMINUM FOIL

MSDS Reviewed Date: April 1, 2015

MSDS No.:00021.0001 Page 6 of 7

49CFR/DOT Additional information	None.				
ICAO/IATA	None	Not regulated.	Not regulated	-None-	\bigotimes
ICAO/IATA Additional information	None.				
IMDG	None	Not regulated.	Not regulated	-None-	\bigotimes
IMDG Additional information	None.				

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

SARA 313: Copper, manganese, aluminum (fume or dust), Nickel.

CERCLA: Copper, RQ = 5000 lbs.; Nickel, RQ = 100 lbs. (No reporting is required if diameter of the pieces of metal is equal to or exceeds 100 micrometers (0.004 inches).)

US State Right to Know Laws:

This product contains nickel, a chemical know to the State of California to cause cancer.

Canadian Regulations:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Canadian WHMIS Classification: D2B - Other Toxic Effects - Toxic

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

SECTION 16 - OTHER INFORMATION

Legend	 ACGIH: American Conference of Governmental Industrial Hygienists IARC: International Agency for Research on Cancer N/Ap: Not Applicable N/Av: Not Available NIOSH: National Institute of Occupational Safety and Health NTP : National Toxicology Program OSHA: Occupational Safety and Health Administration
References	Information obtained from sources including original supplier's Material Safety Data Sheet, and references including RTECS and CCOHS Cheminfo.



Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT, United States 06902 Telephone: (203) 708 8900

COATED ALUMINUM FOIL MSDS Reviewed Date: April 1, 2015 MSDS No.:00021.0001 Page 7 of 7

r esco
1-2500
E The Compliance Center Inc.

DISCLAIMER OF LIABILITY

Every effort has been made to ensure that the safety information on this sheet is accurate, but because Rosco Laboratories, Inc. has no control over the conditions under which the product will be used, liability is limited exclusively to replacement or refund of the purchase price of this product. Except as stated herein, there are no express or implied warranties, including implied warranties of merchantability or fitness for a particular purpose. Rosco Laboratories, Inc. assumes no liability for injury or incidental or consequential damages arising out of storage, handling or use of this product.

Preparation Date:

: February 5, 2009

END OF DOCUMENT